



Performance Evaluation of Rice Variety MTU 1281 through on Farm Trial in West Godavari District of Andhra Pradesh, India

Podapati Vinayalakshmi ^{a++*},
N. Mallikharjuna Rao ^{a#}, G. Naveen Kumar ^{bt}
and T. Srinivasa Rao ^{c‡}

^a Krishi Vigyan Kendra, Undi, West Godavari dt, A.P, India.

^b MANAGE, Hyderabad, Telangana, India.

^c RARS, Maruteru, India.

Authors' contributions

This work was carried out in collaboration among all authors. All authors read and approved the final manuscript.

Article Information

DOI: <https://doi.org/10.9734/acri/2024/v24i6815>

Open Peer Review History:

This journal follows the Advanced Open Peer Review policy. Identity of the Reviewers, Editor(s) and additional Reviewers, peer review comments, different versions of the manuscript, comments of the editors, etc are available here: <https://www.sdiarticle5.com/review-history/120656>

Original Research Article

Received: 01/06/2024

Accepted: 03/08/2024

Published: 12/08/2024

ABSTRACT

An on-farm trial was conducted by Krishi Vigyan Kendra, Undi in farmer's fields of West Godavari district to evaluate the performance of rice variety MTU 1281 on yield and economics of Rice crop during the kharif season for two succeeding years 2022 and 2023. The results of the study revealed

⁺⁺ Subject Matter Specialist, Crop Production;

[#] Programme Coordinator;

[†] Research Associate;

[‡] Associate Director of Research;

*Corresponding author: Email: vinaya.podapati126@gmail.com;

Cite as: Vinayalakshmi, Podapati, N. Mallikharjuna Rao, G. Naveen Kumar, and T. Srinivasa Rao. 2024. "Performance Evaluation of Rice Variety MTU 1281 through on Farm Trial in West Godavari District of Andhra Pradesh, India". *Archives of Current Research International* 24 (6):600-603. <https://doi.org/10.9734/acri/2024/v24i6815>.

that MTU 1281 variety registered higher yield i.e., 7261, 7078 and 7170 kg/ha than MTU 7029 variety (6504, 6625 and 6565 kg/ha) during both the years of study and in pooled data as well. When compared to farmers' practice (Rs. 58,145 and Rs. 71,603/ha and 1.78:1, 1.98:1 during 2022–23, 2023–24, respectively) net returns and the B:C ratio were higher with MTU 1281 rice variety (Rs. 75,198 and Rs. 83,273/ha and 2.03:1, 2.16:1).

Keywords: Rice; MTU 1281; net returns; on farm trial.

1. INTRODUCTION

Rice is one of the most important cereal crops and serves as the primary source of staple food for more than half of the global population [1]. It is one of the potential grain crops dominantly produced and consumed in the Asia that could contribute to the efforts for the realization of food security [2].

In India, rice ranks second in both area and production and cultivated over 43.90 million hectares, yielding 114.45 million tonnes with a productivity of 2607 kg ha⁻¹ [3].

The world's rice production has doubled during the last 25 years, largely due to the use of improved technology such as high yielding varieties and better crop management practices [4]. But, awareness on high yielding medium duration rice variety is the main concern among the farming community and due to this reason farmers are still growing old varieties on a wider scale.

In West Godavari district, paddy is the major crop cultivated in almost all the districts during *kharif* with an area of 84.89 lakh ha, production and productivity of 4.2 lakh t, 5002 kg/ha, respectively [5]. MTU 7029 (Swarna) old variety occupy a large proportion of the area in West Godavari district under rice cultivation, despite wider choices of rice cultivars released for general cultivation since 1995. The possible reason may be that the newly developed varieties may or may not have satisfied the farmers' end use [6]. There is thus a dire need to introduce new varieties in farmers' fields through assessment, refinement and demonstration of proven technology under micro farming situation in a district.

Keeping this in view, Krishi Vigyan Kendra, Undi introduced MTU 1281(a non lodging, medium slender, nitrogen responsive, moderately resistant to leaf blast, neck blast and brown plant hopper with low grain shattering) in farmers fields of West Godavari district through on-farm trial (OFT) with an objective to evaluate production

potentiality and to assess the adoptability of improved variety in the locality during the year 2022 and 2023.

2. MATERIALS AND METHODS

The performance of rice variety MTU 1281 on yield and economics of rice was assessed by Krishi Vigyan Kendra, Undi through On Farm Trial (OFT) in three distinct locations during the *kharif* season for two succeeding years 2022 and 2023. Every year, three different places were chosen for the trial thus making a total of six farmer field demonstrations at Gumparru, Chinnamvaripalem, Navuduru and N.R.P agrapharam villages. Each demonstration conducted in 0.2 ha area. MTU 1281 rice variety was taken as demo plot and locally cultivated old variety MTU 7029 was considered as farmers practice. With the assistance of department authorities, direct observation from field trips, interactive discussions and innovativeness, progressiveness and active use of the latest technologies, six farmers were chosen. Field days, farmer trainings and group meetings on new rice variety and sound agricultural practices in rice crop were also arranged to provide chance to other nearby farmers to see the advantages of technologies that were showcased. Throughout the duration of the demonstration programme, the KVK scientists used to regularly visit the farmer's plot (control) and the demonstration plots to provide close monitoring and data gathering. In addition to yield data, economics from assessment plots and control plots were recorded individually at harvest time during both the years of study.

3. RESULTS AND DISCUSSION

Yield: Results of the Table 1 indicated that the higher yield was realized with MTU 1281 variety i.e., 7261, 7078 and 7170 kg/ha as compared to MTU 7029 variety (6504, 6625 and 6565 kg/ha) during both the years of study as well as in pooled data. The higher yield with MTU 1281 variety owing to more number of tillers/hill and filled grains/panicle [7,8].

Table 1. Performance of rice variety MTU 1281 in farmers fields of West Godavari district during *kharif* 2022 and 2023

Year	Plant height at harvest (cm)		No. of tillers/hill		No. of filled grains/panicle		Yield (Kg/ha)		Net Returns (Rs./ha)		B:C ratio	
	MTU 1281	MTU 7029	MTU 1281	MTU 7029	MTU 1281	MTU 7029	MTU 1281	MTU 7029	MTU 1281	MTU 7029	MTU 1281	MTU 7029
2022	128	104	18	16	244	194	7261	6504	75,198	58,145	2.03:1	1.78:1
2023	130	100	17	16	236	190	7078	6625	83,273	71,603	2.16:1	1.98:1
Pooled	129	102	17.5	16	240	192	7170	6565	79,236	64,874	2.09:1	1.88:1

Net Returns and B:C ratio: MTU 1281 variety registered the higher net returns and B:C ratio of Rs. 75,198, 83,273, 79,236/ha and 2.03, 2.16, 2.09 than MTU 7029 variety i.e., Rs. 58,145, 71,603, 64,874/ha and 1.78, 1.98, 1.88 during both the years of experimentation and in pooled data as well, respectively [9,10]. Higher yield recorded with MTU 1281 variety might be the reason for increased net returns and B:C ratio. Crop lodging, blast incidence and reduced grain quality leads to less yield which in turn reduced Net returns and B:C ratio with MTU 7029 variety.

4. CONCLUSION

Rice variety MTU 1281 recorded more number of tillers/hill, filled grains/panicle, higher yield and Net returns in farmer's fields of West Godavari district under On Farm Trials besides overcome the lodging problem compared to MTU 7029, which is susceptible to blast and lodged before harvest.

DISCLAIMER (ARTIFICIAL INTELLIGENCE)

Author(s) hereby declare that NO generative AI technologies such as Large Language Models (ChatGPT, COPILOT, etc) and text-to-image generators have been used during writing or editing of manuscripts.

COMPETING INTERESTS

Authors have declared that no competing interests exist.

REFERENCES

1. Jiang SH, Zhou H, Lin DZ, Dong YJ, Ye SH, Zhang XM. Identification and gene mapping of a thermo-sensitive leaf-color mutant at seedling stage in rice. *Chinese Journal of Rice Science*. 2013;27:359-364.
2. Gebrekidan H, Seyoum M. Effects of mineral N and P fertilizers on yield and yield Components of flooded lowlandrice on Vertisols of Fogera plain, Ethiopia. *Journal of Agriculture and Rural Development in the Tropics and Subtropics*. 2006;107(2):161–176.
3. Ministry of Agriculture & Farmers Welfare, Govt. of India; 2022-23.
4. Byerlee D. Knowledge-intensive crop management technologies: Concepts, impacts, and prospects in Asian Agriculture. *International Rice Research Conference*, Bangkok; 1996, June 3-Season and Crop Report, Directorate of Economics and Statistics, Government of Andhra Pradesh; 2022-23.
5. Thorne SJ, Stirnberg PM, Hartley SE, Maathuis FJ. The ability of silicon fertilisation to alleviate salinity stress in rice is critically dependent on cultivar. *Rice*. 2022, Dec;15(1):8.
7. Ganesh Kumar P, Prasanna Lakshmi R. and Subramanyam D. Effect of On-farm Trials in Popularization of Rice Variety NDLR-7 (Nandyal Sona) in Chittoor district of Andhra Pradesh. *International Journal of Agriculture Sciences*. 2019;11(8):8275-826.
8. Jayalakshmi M, Babu G, Prasad, Chaithanya BH. On farm testing of rice variety NDLR-7 as an alternative to traditionally grown BPT-5204 in Kurnool District of Andhra Pradesh. *Agricultural Science Digest*. 2020;40(4):392-395.
9. Gayathri NK, Gopal Reddy B, Vishnuvardhan Reddy A. Success story of fine grain rice variety- NDLR 7 (Nandya Sona). *International Journal of Science and Research*. 2021;10(7):527- 529.
10. Raja Sekhar P, Lalitha Kameswari P, Adarsha S, Bhanu Murthy Kc, Srividya N, Rani Sreenivasulu B. Assessment of new paddy variety MTU-1153 through on- farm trials in Tribal Area of East Godavari District, A.P. *The Journal of Rural and Agricultural Research*. 2022; 22(1);1-5.

Disclaimer/Publisher's Note: The statements, opinions and data contained in all publications are solely those of the individual author(s) and contributor(s) and not of the publisher and/or the editor(s). This publisher and/or the editor(s) disclaim responsibility for any injury to people or property resulting from any ideas, methods, instructions or products referred to in the content.

© Copyright (2024): Author(s). The licensee is the journal publisher. This is an Open Access article distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/4.0>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Peer-review history:
The peer review history for this paper can be accessed here:
<https://www.sdiarticle5.com/review-history/120656>